

From: [Yarossi, Peter](#)
To: [Pimpare, Justin](#)
Subject: RE: Alnylam Pharmaceuticals Categorical Industrial User Determination Request
Date: Friday, March 25, 2022 10:38:05 AM
Attachments: [image001.png](#)
[image002.jpg](#)

Give me a few minutes and I'll call you back. I want to review our files on the company.

From: Pimpare, Justin <Pimpare.Justin@epa.gov>
Sent: Friday, March 25, 2022 10:25 AM
To: Yarossi, Peter <Peter.Yarossi@mwra.com>
Subject: [EXTERNAL] FW: Alnylam Pharmaceuticals Categorical Industrial User Determination Request

[EXTERNAL]: This is an external email. Do not click on links or attachments if sender is unknown or if the email is unexpected.

Give me a call on this one when you have a chance.
Thanks
Jay

From: Jeffrey Richards <jrichards@alnylam.com>
Sent: Friday, March 11, 2022 11:04 AM
To: Pimpare, Justin <Pimpare.Justin@epa.gov>
Cc: Chris Hughes <chughes@alnylam.com>
Subject: Alnylam Pharmaceuticals Categorical Industrial User Determination Request

Good Morning Mr. Pimpare

I am Jeff Richards, Head of Environmental, Health and Safety for Alnylam Pharmaceuticals, Inc., based in Cambridge, Massachusetts. Attached is Alnylam's Categorical Industrial User Determination Request for our manufacturing facility located at 665 Concord Avenue in Cambridge (referred to as our Alewife facility in the letter).

We are in the process of renewing our Massachusetts Water Resources Authority (MWRA) Low Flow/Low Pollutant Sewer Discharge Permit for that facility and will be including a copy of this letter in the application package. It is our interpretation that the EPA Categorical Pretreatment Standards do not apply to this facility, therefore making us eligible to request renewal as a Low Flow/Low Pollutant site. The MWRA will be holding action on this renewal application until a determination is made by your office.

My contact information is provided below, as well as on the letter. My team and I will make ourselves available if you would like to discuss this request.

Thank you.

R/

Jeff

Jeffrey Richards, CSP

Senior Director, Environmental, Health & Safety



Alnylam Pharmaceuticals, Inc

675 West Kendall Street at Henri A. Termeer Square, Cambridge, MA, 02142

T: +1 617.682.4230 | M: +1 508.314.0005 | E: jrichards@alnylam.com

Click [here](#) to visit the EHS Nebula page



Confidentiality & Security of Communications

This e-mail may contain privileged and confidential information. If you receive it in error please inform the sender and do not copy, distribute or otherwise take any action in reliance upon it. Internet communications are not guaranteed to be secure or virus-free. Alnylam does not accept responsibility for any loss or damage arising from unauthorized access to, or interference with, any Internet communications by any third party. Neither Alnylam nor the sender accept any responsibility for malware etc.; it is your responsibility as recipient to scan or otherwise check this e-mail and any attachments. To the extent permitted by law, we may monitor e-mails for security and regulatory purposes and to ensure compliance with applicable laws and regulations as well as internal company policies.

Data Privacy

Any personal data you provide to us will be processed in a confidential manner and used only for handling your communication and your request(s) appropriately. To learn about Alnylam's commitment to Privacy and to exercise your data protection rights, please visit Alnylam's website at <https://alnylampolicies.com/privacy>. You make any other privacy related request by contacting Alnylam's Office at privacy@alnylam.com.